

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

01/21/2009

Philippe Courty 89 Bd Exelmans Paris, F 75016 FRANCE Paper No.

Application No.:	10/585,398	Date Mailed:	01/21/2009
First Named Inventor:	Courty, Philippe,	Examiner:	HAYES, BRET C
Attorney Docket No.:		Art Unit:	3641
Confirmation No.:	2739	Filing Date:	07/05/2006

Please find attached an Office communication concerning this application or proceeding.

Notice of Non-Compliant Amendment (37 CFR 1.121) Application No. 10/585,398 Applicant(s) COURTY, PHILIPPE Art Unit 1600

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on <u>31 December</u> , <u>2008</u> is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
□ 3. Amendments to the drawings: □ A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet' as required by 37 CFR 1.121(d), □ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required. □ C. Other
 ✓ 4. Amendments to the claims: A. A complete listing of all of the claims is not present. B. The listing of claims does not include the text of all pending claims (including withdrawn claims) ✓ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended). ✓ D. The claims of this amendment paper have not been presented in ascending numerical order. ✓ E. Other: A fee of \$195.00 needed for multiple dependent claims filled.
5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4): For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
TIME PERIODS FOR FILING A REPLY TO THIS NOTICE: Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendmen filed after allowance, or a drawing submission (only) if applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
2. Applicant is given one month, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendmen (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1 to 4 are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.
Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action. Failure to timely respond to this notice will result in: Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.
Legal Instruments Examiner (LIE), if applicable /FLORENCE R. PATTERSON/ Telephone No: (571)272-0544

U.S. Patent and Trademark Office